

Octafluoropropane (R 218)

Issue Date: Last revised date:

1.1 Product identifier

16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 1/15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name:	Octafluoropropane (R 218)
Other Name:	PFC-218
Additional identification Chemical name: Chemical formula: INDEX No.	Octafluoropropane C3F8 -
CAS-No.	76-19-7
EC No.	200-941-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

	5
Identified uses:	Industrial and professional. Perform risk assessment prior to use.
	Refrigerant. Using gas as feedstock in chemical processes. Using gas alone or
	in mixtures for the calibration of analysis equipment. Use for electronic
	component manufacture. Formulation of mixtures with gas in pressure
	receptacles. Use as an Intermediate (transported, on-site isolated).
Uses advised against	Consumer use.

01-2119948589-16

1.3 Details of the supplier of the safety data sheet

Supplier	
Linde Gas AS	
Postboks 13 Nydalen	
N-0409 Oslo	

Telephone: +4723177200

E-mail: sds.ren@linde.com

REACH Registration No.

1.4 Emergency telephone number: +47 22 59 13 00 (24h - Giftinformasjonssentralen)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 2/15

Gases under pressure

Liquefied gas

H280: Contains gas under pressure; may explode if heated.

2.2 Label Elements

Signal Word:	Warning
Hazard Statement(s):	H280: Contains gas under pressure; may explode if heated.
Precautionary Statements General	None.
Prevention:	None.
Response:	None.
Storage:	P403: Store in a well-ventilated place.
Disposal	None.
Supplemental information	EIGA-0783: Contains fluorinated greenhouse gases EIGA-As: Asphyxiant in high concentrations.
2.3 Other hazards	Contact with evaporating liquid may cause frostbite or freezing of skin.



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 3/15

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Octafluoropropane
INDEX No.:	-
CAS-No.:	76-19-7
EC No.:	200-941-9
REACH Registration No.:	01-2119948589-16
Purity:	100%
	The purity of the substance in this section is used for classification only, and does not represent the actual purity of the substance as supplied, for which other

Trade name:

Chemical name	Chemical formula	Concentration	CAS-No.	REACH Registration No.		Notes
Octafluoropropane	C3F8	100%	76-19-7	01- 2119948589- 16	-	

documentation should be consulted.

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

SECTION 4: First aid measures

General:	In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
4.1 Description of first aid measures	
Inhalation:	In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
Eye contact:	Rinse the eye with water immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes.



Octafluoropropane (R 218)

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021732
Last revised date:	06.01.2021		4/15

Skin Contact:	Contact with evaporating liquid may cause frostbite or freezing of skin.
Ingestion:	Ingestion is not considered a potential route of exposure.
4.2 Most important symptoms and effects, both acute and delayed:	Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.
4.3 Indication of any immediate med	ical attention and special treatment needed
Hazards:	Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.
Treatment:	Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.
SECTION 5: Firefighting measures	
General Fire Hazards:	Heat may cause the containers to explode.
5.1 Extinguishing media Suitable extinguishing media:	Material will not burn. In case of fire in the surroundings: use appropriate extinguishing agent.
Unsuitable extinguishing media:	None.
5.2 Special hazards arising from the substance or mixture:	Fire or excessive heat may produce hazardous decomposition products.
Hazardous Combustion Products:	If involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition: Carbon monoxide ; Hydrogen fluoride ; Carbonyl difluoride
5.3 Advice for firefighters Special fire fighting procedures:	In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out.



Octafluoropropane (R 218)

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021732
Last revised date:	06.01.2021		5/15

Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained open- circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.
	5 11 7

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Evacuate area. Provide adequate ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self-contained open- circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.
6.2 Environmental Precautions:	Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for containment and cleaning up:	Provide adequate ventilation.
6.4 Reference to other sections:	Refer to sections 8 and 13.



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 6/15

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.
7.2 Conditions for safe storage, including any incompatibilities:	Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.
7.3 Specific end use(s):	None.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.



Octafluoropropane (R 218)

Issue Date:	
Last revised date:	

16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 7/15

DNEL-Values

DITEL TOTOES			
Critical component	Туре	Value	Remarks
Octafluoropropane	Workers - Eyes, Local effect		Low hazard (no threshold derived)

8.2 Exposure controls

Appropriate engineering controls:	Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Oxygen detectors should be used when asphyxiating gases may be released. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.
Individual protection measures, s	such as personal protective equipment
General information:	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Eye/face protection:	Safety eyewear, goggles or face-shield to EN166 should be used to avoid exposure to liquid splashes. Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.
Skin protection Hand Protection:	Guideline: EN 388 Protective gloves against mechanical risks. Additional Information: Wear working gloves while handling containers
Body protection:	No special precautions.
Other:	Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear.
Respiratory Protection:	Not required.
Thermal hazards:	No precautionary measures are necessary.
Hygiene measures:	Specific risk management measures are not required beyond good industrial hygiene and safety procedures. Do not eat, drink or smoke when using the product.



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 8/15

Environmental exposure controls:

For waste disposal, see section 13 of the SDS.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	Gas
Form:	Liquefied gas
Color:	Clear and colorless
Odor:	Odorless
Odor Threshold:	Odor threshold is subjective and is inadequate to warn of over exposure.
рН:	Not applicable.
Melting Point:	+/183 °C Other, Key study -183 °C Other, Key study
Boiling Point:	-36,7 °C
Sublimation Point:	Not applicable.
Critical Temp. (°C):	71,9 °C
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability Limit - Upper (%):	Not applicable.
Flammability Limit - Lower (%):	Not applicable.
Vapor pressure:	883,92 kPa (25 °C)
Vapor density (air=1):	6,5
Relative density:	1,4
Solubility(ies)	
Solubility in Water:	5,7 mg/l
Partition coefficient (n-octanol/water):	2,8
Autoignition Temperature:	Not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	Not applicable.
Oxidizing properties:	Not applicable.

Gas/vapour heavier than air. May accumulate in confined



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 9/15

Molecular weight:	spaces, particularly at or below ground level. 188 g/mol (C3F8)	
SECTION 10: Stability and reactivit	у	
10.1 Reactivity:	No reactivity hazard other than the effects described in sub-section below.	
10.2 Chemical Stability:	Stable under normal conditions.	
10.3 Possibility of hazardous reactions:	None.	
10.4 Conditions to avoid:	None.	
10.5 Incompatible Materials:	No reaction with any common materials in dry or wet conditions.	
10.6 Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	
SECTION 11: Toxicological information		
General information:	None.	
11.1 Information on toxicological eff	fects	
Acute toxicity - Oral Product	Based on available data, the classification criteria are not met.	
Acute toxicity - Dermal Product	Based on available data, the classification criteria are not met.	
Acute toxicity - Inhalation Product	Based on available data, the classification criteria are not met.	
Skin Corrosion/Irritation Product	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Irritat Product	ion Based on available data, the classification criteria are not met.	



Octafluoropropane (R 218)

Issue Date:	
Last revised date:	

16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 10/15

Respiratory or Skin Sensitizatio Product	n Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity Product	Based on available data, the classification criteria are not met.	
Carcinogenicity Product	Based on available data, the classification criteria are not met.	
Reproductive toxicity Product	Based on available data, the classification criteria are not met.	
Specific Target Organ Toxicity - Single ExposureProductBased on available data, the classification criteria are not met.		
Specific Target Organ Toxicity - Repeated ExposureProductBased on available data, the classification criteria are not met.		
Aspiration Hazard Product	Not applicable to gases and gas mixtures	

SECTION 12: Ecological information

12.1 Toxicity	
Acute toxicity Product	No ecological damage caused by this product.
12.2 Persistence and Degradability Product	Not applicable to gases and gas mixtures
12.3 Bioaccumulative potential Product	The subject product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment.
12.4 Mobility in soil Product	Because of its high volatility, the product is unlikely to cause ground or water pollution.
12.5 Results of PBT and vPvB assessment Product	Not classified as PBT or vPvB.



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 11/15

12.6 Other	adverse	effects:
------------	---------	----------

Global Warming Potential	Global warming potential: 8.830 Contains fluorinated greenhouse gases When discharged in large quantities may contribute to the greenhouse effect. For GWP value of mixture and quantities, refer to container label.
Octafluoropropane	<u>EU. F-Gases Subject to Emission Limits/Reporting (Annexes I, II), Regulation</u> <u>517/2014/EU on FGGs</u> - Global warming potential: 8830 Annex 1: Fluorinated greenhouse gases referred to in Point 1 of Article 2; Section 2: Perfluorocarbons (PFCs) and its mixtures

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:	Avoid discharges to atmosphere. Do not discharge into any place where its accumulation could be dangerous. Refer to manufacturer or supplier for information on recovery or recycling.
Disposal methods:	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.
European Waste Codes Container:	14 06 01*: chlorofluorocarbons, HCFC, HFC

SECTION 14: Transport information

ADR	
-----	--

14.1 UN Number:	UN 2424
14.2 UN Proper Shipping Name:	OCTAFLUOROPROPANE (REFRIGERANT GAS R 218)
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2
Hazard No. (ADR):	20
Tunnel restriction code:	(C/E)
14.4 Packing Group:	-
14.5 Environmental hazards:	Not applicable
SDS_NO - 000010021732	



Octafluoropropane (R 218)

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021732
Last revised date:	06.01.2021		12/15

	14.6 Special precautions for user:	-
RID		
	 14.1 UN Number: 14.2 UN Proper Shipping Name 14.3 Transport Hazard Class(es) Class: Label(s): 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: 	UN 2424 OCTAFLUOROPROPANE (REFRIGERANT GAS R 218) 2 2.2 - Not applicable -
IMD		
	 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: 	UN 2424 OCTAFLUOROPROPANE (REFRIGERANT GAS R 218) 2.2 2.2 F-C, S-V - Not applicable -
ΙΑΤΑ		
	14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s):	UN 2424 Refrigerant gas R 218 2.2 2.2
	 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: Other information Passenger and cargo aircraft: Cargo aircraft only: 	– Not applicable – Allowed. Allowed.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable



Octafluoropropane (R 218)

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021732
Last revised date:	06.01.2021		13/15

Additional identification: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, as amended.: Not applicable

National Regulations

	Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 89/686/EEC on personal protective equipment Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.
15.2 Chemical safety assessment:	CSA has been carried out.

SECTION 16: Other information

Revision Information:

Not relevant.



Octafluoropropane (R 218)

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021732
Last revised date:	06.01.2021		14/15

Key literature references and sources for data:	Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to: Agency for Toxic Substances and Diseases Registry (ATSDR) (http://www.atsdr.cdc.gov/). European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling guide", as amended. International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets. Matheson Gas Data Book, 7th Edition. National Institute for Standards and Technology (NIST) Standard Reference Database Number 69. The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/). The European Chemical Industry Council (CEFIC) ERICards. United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html) Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH). Substance specific information from suppliers.
	Substance specific information from suppliers. Details given in this document are believed to be correct at the time of publication.

Wording of the H-statements in section 2 and 3

	H280	Contains gas under pressure; may explode if heated.	
Training information:		hing apparatus must be trained. The hazard of asphyxiation is often Id must be stressed during operator training. Ensure operators e hazards.	
Classification according to Regulation (EC) No 1272/2008 as amended.			
	Press. Gas Liq.	Gas, H280	
Other information:	compatibility a Ensure all nati taken in the p	his product in any new process or experiment, a thorough material and safety study should be carried out. Ensure adequate air ventilation. onal/local regulations are observed. Whilst proper care has been reparation of this document, no liability for injury or damage resulting on be accepted.	



Octafluoropropane (R 218)

Issue Date: Last revised date: 16.01.2013 06.01.2021 Version: 1.0

SDS No.: 000010021732 15/15

Last revised date: Disclaimer: 06.01.2021

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.