

Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 1/19

| SECTION 1: Identification of the su | ubstance/mixture and of | the company/undertaking | | |
|--|---------------------------------------|---|--|--|
| 1.1 Product identifier | | | | |
| Product name: | C3H2F4 17,0752 %; | C3H2F4 17,0752 %;CH2F2 82,9248 % | | |
| Trade name: | R454B | R454B | | |
| Other Name: | HFC-3268,9% (w/v | N); HFC-1234yf 31,1 % (w/w) | | |
| 1.2 Relevant identified uses of the | substance or mixture and u | ses advised against | | |
| Identified uses: | Industrial and profes Refrigerant. | ssional. Perform risk assessment prior to use. | | |
| Uses advised against | | se listed above are not supported. Contact supplier for uses. | | |
| 1.3 Details of the supplier of the sa | fety data sheet | | | |
| Supplier | | | | |
| Linde Gas AS | | Telephone: +4723177200 | | |
| Postboks 13 Nydalen N-0409 Oslo | | | | |
| E-mail: sds.ren@linde.com | | | | |
| 1.4 Emergency telephone number: | +47 22 59 13 00 (24h - Giftir | nformasjonssentralen) | | |
| SECTION 2: Hazards identification | | | | |
| 2.1 Classification of the substance of | or mixture | | | |
| | | | | |
| Classification according to Regu | ulation (EC) No 1272/2008 | as amended. | | |
| Physical Hazards | | | | |
| Flammable gas | Category 1 | H220: Extremely flammable gas. | | |
| Gases under pressure | Liquefied gas | H280: Contains gas under pressure; may explode if heated. | | |
| | | | | |

2.2 Label Elements



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 2/19



Signal Word:

| Hazard Statement(s): | H220: Extremely flammable gas. H280: Contains gas under pressure; may explode if heated. | | |
|-------------------------------------|--|--|--|
| Precautionary Statements General | None. | | |
| Prevention: | P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | | |
| Response: | P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381: In case of leakage, eliminate all ignition sources. | | |
| Storage: | P403: Store in a well-ventilated place. | | |
| Disposal | None. | | |
| Supplemental information | EIGA-0783: Contains fluorinated greenhouse gases | | |
| 2.3 Other hazards | Contact with evaporating liquid may cause frostbite or freezing of skin. | | |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Chemical name | Chemical formula | Concentration | CAS-No. | REACH Registration No. | M-Factor: | Notes |
|--------------------------------|---------------------|---------------|----------|---------------------------|-----------|-------|
| Difluoromethane | CH2F2 | 82,9248% | 75-10-5 | 01- 2119471312- 47 | - | |
| 2,3,3,3- Tetrafluoropropene | C3H2F4 | 17,0752% | 754-12-1 | 01- 0000019665- 61 | - | |

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.



| Issue Date: | 26.10.2016 | Version: 1.0 | SDS No.: 000010035479 |
|--------------------|------------|--------------|-----------------------|
| Last revised date: | 06.01.2021 | | 3/19 |

This substance has workplace exposure limit(s). PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Classification

| Chemical name | Classification | | Notes |
|----------------------------|----------------|---|-------|
| Difluoromethane | CLP: | Press. Gas Liquef. Gas;H280, Flam. Gas 1;H220 | |
| 2,3,3,3-Tetrafluoropropene | CLP: | Flam. Gas 1;H220, Press. Gas Liquef. Gas;H280 | |

CLP: Regulation No. 1272/2008.

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

| General: | In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped. |
|--|--|
| 4.1 Description of first aid measures | |
| Inhalation: | In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped. |
| Eye contact: | Rinse the eye with water immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes. |
| Skin Contact: | Contact with evaporating liquid may cause frostbite or freezing of skin. In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Get medical attention. |
| Ingestion: | Ingestion is not considered a potential route of exposure. |
| 4.2 Most important symptoms and effects, both acute and delayed: | Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling. Irregular cardiac activity. Loss of co-ordination. May cause drowsiness or dizziness. |



C3H2F4 17,0752 %;CH2F2 82,9248 %

| Issue Date: | 26.10.2016 | Version: 1.0 |
|--------------------|------------|--------------|
| Last revised date: | 06.01.2021 | |

SDS No.: 000010035479 4/19

| 4.3 Indication of any immediate med | lical attention and special treatment needed |
|-------------------------------------|---|
| Hazards: | Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to |
| Treatment: | rapid evaporative cooling. Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, that may be used in situations of emergency life supportshould be used with special caution. |

SECTION 5: Firefighting measures

| General Fire Hazards: | Heat may cause the containers to explode. | |
|---|--|--|
| 5.1 Extinguishing media Suitable extinguishing media: | Water Spray or Fog. Dry powder. Foam. | |
| Unsuitable extinguishing media: | Carbon Dioxide. | |
| 5.2 Special hazards arising from the substance or mixture: | No data available. | |
| Hazardous Combustion Products: | If involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition: Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing compounds may be released upon combustion. Carbon oxides | |
| 5.3 Advice for firefighters Special fire fighting procedures: | In case of fire: Stop leak if safe to do so. Do not extinguish flames at leak because possibility of uncontrolled explosive reignition exists. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out. | |
| Special protective equipment for fire-fighters: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained opencircuit compressed air breathing apparatus with full face mask - Requirements, testing, marking. | |



C3H2F4 17,0752 %;CH2F2 82,9248 %

Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 5/19

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures: | Evacuate area. Provide adequate ventilation. Consider the risk of potentially explosive atmospheres . In case of leakage, eliminate all ignition sources. Monitor the concentration of the released product. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self-contained open- circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking. |
|--|--|
| 6.2 Environmental Precautions: | Prevent further leakage or spillage if safe to do so. |
| 6.3 Methods and material for containment and cleaning up: | Provide adequate ventilation. Eliminate sources of ignition. |
| 6.4 Reference to other sections: | Refer to sections 8 and 13. |



C3H2F4 17,0752 %;CH2F2 82,9248 %

Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 6/19

SECTION 7: Handling and storage:

Only experienced and properly instructed persons should handle gases under 7.1 Precautions for safe handling: pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Purge system with dry inert gas (e.g. helium or nitrogen) before gas is introduced and when system is placed out of service. Purge air from system before introducing gas. Containers, which contain or have contained flammable or explosive substances, must not be inerted with liquid carbon dioxide. Assess the risk of a potentially explosive atmosphere and the need for suitable equipment i.e. explosion-proof. Take precautionary measures against static discharges. Keep away from ignition sources (including static discharges). Provide electrical earthing of equipment and electrical equipment usable in explosive atmospheres. Use non-sparking tools. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Ensure the complete system has been (or is regularly) checked for leaks before use. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eq. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.



| Issue Date: | 26.10.2016 | Version: 1.0 | SDS No.: 000010035479 |
|--------------------|------------|--------------|-----------------------|
| Last revised date: | 06.01.2021 | | 7/19 |

7.2 Conditions for safe storage, including any incompatibilities: All electrical equipment in the storage areas should be compatible with the risk of a potentially explosive atmosphere. Segregate from oxidant gases and other oxidants being stored. Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.

7.3 Specific end use(s):

SECTION 8: Exposure controls/personal protection

None.

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

DNEL-Values

| Critical component | Туре | Value | Remarks |
|----------------------------|------------------------------|-----------|-----------------------------------|
| Difluoromethane | Workers - Inhalation, | 7035 | Repeated dose toxicity |
| | Systemic, long-term | mg/m3 | |
| 2,3,3,3-Tetrafluoropropene | Workers - Inhalation, | 950 mg/m3 | Repeated dose toxicity |
| | Systemic, long-term | | |
| | Workers - Eyes, Local effect | | Low hazard (no threshold derived) |

PNEC-Values

| Critical component | Туре | Value | Remarks |
|----------------------------|-------------------------|----------------|---------|
| Difluoromethane | Aquatic (freshwater) | 0,142 mg/l | - |
| Difluoromethane | Sediment (freshwater) | 0,534 mg/kg | - |
| 2,3,3,3-Tetrafluoropropene | Aquatic (freshwater) | 0,25 mg/l | - |
| 2,3,3,3-Tetrafluoropropene | Aquatic (marine water) | 0,025 mg/l | - |
| 2,3,3,3-Tetrafluoropropene | Soil | 0,72 mg/kg | - |
| 2,3,3,3-Tetrafluoropropene | Sediment (marine water) | 0,135 mg/kg | - |
| 2,3,3,3-Tetrafluoropropene | Sediment (freshwater) | 1,35 mg/kg | - |



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 8/19

| 8.2 Exposure controls | |
|--------------------------------------|---|
| Appropriate engineering controls: | Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Provide adequate general and local exhaust ventilation. Keep concentrations well below lower explosion limits. Gas detectors should be used when quantities of flammable gases or vapours may be released. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Systems under pressure should be regularly checked for leakages. Product to be handled in a closed system. Only use permanent leak tight installations (e.g. welded pipes). Take precautionary measures against static discharges. |
| Individual protection measures, | , such as personal protective equipment |
| General information: | A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment. Do not eat, drink or smoke when using the product. |
| Eye/face protection: | Safety eyewear, goggles or face-shield to EN166 should be used to avoid exposure to liquid splashes. Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection. |
| Skin protection | |
| Hand Protection: | Guideline: EN 388 Protective gloves against mechanical risks. Additional Information: Wear working gloves while handling containers |
| Body protection: | Wear fire resistant or flame retardant clothing. Guideline: ISO/TR 2801:2007 Clothing for protection against heat and flame General recommendations for selection, care and use of protective clothing. |
| Other: | Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear. |
| | |



| Issue Date: | 26.10.2016 | Version: 1.0 | SDS No.: 000010035479 |
|--------------------|------------|--------------|-----------------------|
| Last revised date: | 06.01.2021 | | 9/19 |

| Respiratory Protection: | When allowed by a risk assessment Respiratory Protective Equipment (RPE) may be used The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD. Self-contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres Guideline: EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking. |
|----------------------------------|--|
| Thermal hazards: | No precautionary measures are necessary. |
| Hygiene measures: | Specific risk management measures are not required beyond good industrial hygiene and safety procedures. Do not eat, drink or smoke when using the product. |
| Environmental exposure controls: | For waste disposal, see section 13 of the SDS. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | |
|---------------------------------|--|
| Physical state: | Gas |
| Form: | Liquefied gas |
| Color: | CH2F2: Colorless C3H2F4: Colorless |
| Odor: | CH2F2: Odorless C3H2F4: Ethereal odor |
| Odor Threshold: | Odor threshold is subjective and is inadequate to warn of over exposure. |
| pH: | Not applicable. |
| Melting Point: | No data available. |
| Boiling Point: | -50,9 °C |
| Sublimation Point: | Not applicable. |
| Critical Temp. (°C): | 77 °C |
| Flash Point: | Not applicable to gases and gas mixtures. |
| Evaporation Rate: | Not applicable to gases and gas mixtures. |
| Flammability (solid, gas): | Flammable Gas |
| Flammability Limit - Upper (%): | 22 %(V) (Measured) |
| Flammability Limit - Lower (%): | 11,25 %(V) (Measured) |
| | |



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 10/19

| Vapor pressure: | 10 bar (15 °C) |
|--|--------------------------|
| Vapor density (air=1): | 2,2 (calculated) (15 °C) |
| Relative density: | 0,98 (25 °C) |
| Solubility(ies) | |
| Solubility in Water: | No data available. |
| Partition coefficient (n-octanol/water): | Not known. |
| Autoignition Temperature: | Not applicable. |
| Decomposition Temperature: | Not known. |
| Viscosity | |
| Kinematic viscosity: | No data available. |
| Dynamic viscosity: | No data available. |
| Explosive properties: | Not applicable. |
| Oxidizing properties: | Not applicable. |
| | |

9.2 Other information:

Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECTION 10: Stability and reactivity

| 10.1 Reactivity: | No reactivity hazard other than the effects described in sub-section below. |
|---|---|
| 10.2 Chemical Stability: | Stable under normal conditions. |
| 10.3 Possibility of hazardous reactions: | Can form a potentially explosive atmosphere in air. May react violently with oxidants. |
| 10.4 Conditions to avoid: | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| 10.5 Incompatible Materials: | Air and oxidizers. For material compatibility see latest version of ISO-11114. Strong alkalis. Strong oxides. Alkali earth metals. Chemically-active metals (such as calcium, powdered aluminum, zinc, and magnesium) |
| 10.6 Hazardous Decomposition Products: | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |



C3H2F4 17,0752 %;CH2F2 82,9248 %

Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 11/19

| SECTION 11: Toxicological information | on |
|--|--|
| General information: | None. |
| 11.1 Information on toxicological effe | cts |
| Acute toxicity - Oral Product | Based on available data, the classification criteria are not met. |
| Acute toxicity - Dermal Product | Based on available data, the classification criteria are not met. |
| Acute toxicity - Inhalation Product | Based on available data, the classification criteria are not met. |
| Component Information 2,3,3,3- Tetrafluoropropene | LC 50 (Rat): > 405000 ppm |
| Repeated dose toxicity Component Information Difluoromethane | NOAEL (Rat(Female, Male), Inhalation, 28 d): 49.500 ppm(m) Inhalation Experimental result, Supporting study |
| Skin Corrosion/Irritation Product | Based on available data, the classification criteria are not met. |
| Serious Eye Damage/Eye Irritatic Product | on Based on available data, the classification criteria are not met. |
| Respiratory or Skin Sensitization Product | Based on available data, the classification criteria are not met. |
| Germ Cell Mutagenicity Product | Based on available data, the classification criteria are not met. |
| In vitro Component Information 2,3,3,3-Tetrafluoropropene | Ames test in vitro: (OECD Guideline 471 (Bacterial Reverse Mutation Test)): Mutagenic |
| SDS_NO - 000010035479 | |



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 12/19

| In vivo Component Information 2,3,3,3-Tetrafluoropropene | Chromosome aberration (OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)): Negative. |
|--|--|
| Carcinogenicity Product | Based on available data, the classification criteria are not met. |
| Reproductive toxicity Product | Based on available data, the classification criteria are not met. |
| Reproductive toxicity (Fertility) Component Information 2,3,3,3-Tetrafluoropropene | Rat NOAEL - No Observable Adverse Effect Level: 50.000 ppm |
| Developmental toxicity (Terator Component Information 2,3,3,3-Tetrafluoropropene | genicity) Rat Inhalation (OECD Guideline 414 (Prenatal Developmental Toxicity Study)) |
| Specific Target Organ Toxicity - S Product | Single Exposure Based on available data, the classification criteria are not met. |
| Specific Target Organ Toxicity - I Product | Repeated Exposure Based on available data, the classification criteria are not met. |
| Aspiration Hazard Product | Not applicable to gases and gas mixtures |



C3H2F4 17,0752 %;CH2F2 82,9248 %

Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 13/19

| Other Relevant Toxicity Information | | | | |
|-------------------------------------|--|--|--|--|
| Difluoromethane | Cardiac sensitisation threshold limit >350000 ppm Beagle (dog)LOAEC | | | |
| | Cardiac sensitisation threshold limit 350000 ppm Beagle (dog)NOAEC | | | |
| | Light hydrocarbons like this one have been associated with cardiac sensitization in abuse situations. Hypoxia or the injection of adrenaline-like substances enhances these effects. | | | |
| 2,3,3,3-Tetrafluoropropene | Cardiac sensitisation threshold limit >120000 ppm Beagle (dog)LOAEC | | | |
| | Cardiac sensitisation threshold limit 120000 ppm Beagle (dog)NOAEC | | | |
| | Light hydrocarbons like this one have been associated with cardiac sensitization in abuse situations. Hypoxia or the injection of adrenaline-like substances enhances these effects. | | | |

SECTION 12: Ecological information

12.1 Toxicity

| Acute toxicity Product | No ecological damage caused by this product. | | |
|---|---|--|--|
| Acute toxicity - Fish Component Information Difluoromethane | LC 50 (Various, 96 h): 1.507 mg/l Remarks: QSAR QSAR, Key study | | |
| 2,3,3,3-Tetrafluoropropene | LC 50 (Carp (Cyprinus carpio), 96 h): > 197 mg/l | | |



| Issue Date: | 26.10.2016 | Version: 1.0 | SDS No.: 000010035479 |
|--------------------|------------|--------------|-----------------------|
| Last revised date: | 06.01.2021 | | 14/19 |

| Acute toxicity - Aquatic Invertebrates Component Information | | |
|--|--|--|
| Difluoromethane | EC 50 (Daphnid, 48 h): 652 mg/l Remarks: QSAR QSAR, Key study | |
| 2,3,3,3-Tetrafluoropropene | EC 50 (Water flea (Daphnia magna), 48 h): > 100 mg/l | |
| Toxicity to Aquatic Plants Component Information Difluoromethane | EC 50 (Alga, 96 h): 142 mg/l | |
| 2,3,3,3-Tetrafluoropropene | NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): > 75 mg/l (OECD Guideline 201 (Freshwater Alga and Cyanobacteria, Growth Inhibition Test)) | |
| 12.2 Persistence and Degradability Product | Not applicable to gases and gas mixtures | |
| Biodegradation Component Information Difluoromethane | 5 % (28 d) Detected in water. Experimental result, Key study | |
| 2,3,3,3-Tetrafluoropropene | < 5 % (28 d, OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D) | |
| 12.3 Bioaccumulative potential | | |
| Product | The subject product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment. | |
| 12.4 Mobility in soil Product | Because of its high volatility, the product is unlikely to cause ground or water pollution. | |
| 12.5 Results of PBT and vPvB assessment Product | Not classified as PBT or vPvB. | |



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 15/19

| | 12.6 | Other | adverse | effects |
|--|------|-------|---------|---------|
|--|------|-------|---------|---------|

| Global Warming Potential | |
|----------------------------|--|
| - | Global warming potential: 466,3 Contains fluorinated greenhouse gases When discharged in large quantities may contribute to the greenhouse effect. For GWP value of mixture and quantities, refer to container label. |
| Component Information | |
| Difluoromethane | EU. F-Gases Subject to Emission Limits/Reporting (Annexes I, II), Regulation 517/2014/EU on FGGs - Global warming potential: 675 Annex 1: Fluorinated greenhouse gases referred to in Point 1 of Article 2; Section 1:Hydrofluorocarbons (HFCs) and its mixtures |
| 2,3,3,3-Tetrafluoropropene | EU. F-Gases Subject to Emission Limits/Reporting (Annexes I, II), Regulation 517/2014/EU on FGGs - Global warming potential: 4 Annex 2: Other fluorinated greenhouse gases subject to reporting in accordance with Article 19; Section 1: Unsaturated hydro(chloro)fluorocarbons |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| General information: | Avoid discharges to atmosphere. Do not discharge into any place where its accumulation could be dangerous. Refer to manufacturer or supplier for information on recovery or recycling. |
|---|--|
| Disposal methods: | Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws. |
| <u>European Waste Codes</u> Container: | 14 06 01*: chlorofluorocarbons, HCFC, HFC |



C3H2F4 17,0752 %;CH2F2 82,9248 %

Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 16/19

SECTION 14: Transport information

| ADR | | |
|-----|---|--|
| | 14.1 UN Number: | UN 3161 |
| | 14.2 UN Proper Shipping Name: | LIQUEFIED GAS, FLAMMABLE, N.O.S.(Difluoromethane, 2,3,3,3- Tetrafluoropropene) |
| | 14.3 Transport Hazard Class(es) Class: Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: | 2 2.1 23 (B/D) - Not applicable |
| RID | | |
| | 14.1 UN Number: | UN 3161 |
| | 14.2 UN Proper Shipping Name | LIQUEFIED GAS, FLAMMABLE, N.O.S. (Difluoromethane, 2,3,3,3- Tetrafluoropropene) |
| | 14.3 Transport Hazard Class(es) | |
| | Class: Label(s): | 2 2.1 |
| | 14.4 Packing Group: | _ |
| | 14.5 Environmental hazards: | Not applicable |
| | 14.6 Special precautions for user: | - |
| IMD | G | |
| | 14.1 UN Number: 14.2 UN Proper Shipping Name: | UN 3161 LIQUEFIED GAS, FLAMMABLE, N.O.S.(Difluoromethane, 2,3,3,3- Tetrafluoropropene) |
| | 14.3 Transport Hazard Class(es) | |
| | Class: | 2.1 2.1 |
| | Label(s): EmS No.: | 2.1 F-D, S-U |
| | 14.4 Packing Group: | - |
| | 14.5 Environmental hazards: | Not applicable |
| | 14.6 Special precautions for user: | |
| | | |



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 17/19

IATA

| 14.1 UN Number: 14.2 Proper Shipping Name: | UN 3161 Liquefied gas, flammable, n.o.s.(Difluoromethane, 2,3,3,3- Tetrafluoropropene) |
|---|--|
| 14.3 Transport Hazard Class(es): | |
| Class: | 2.1 |
| Label(s): | 2.1 |
| 14.4 Packing Group: | - |
| 14.5 Environmental hazards: | Not applicable |
| 14.6 Special precautions for user: | - |
| Other information | |
| Passenger and cargo aircraft: | Forbidden. |
| Cargo aircraft only: | Allowed. |

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

| Additional identification: Avoid transport on vehicles where the load space is not set the driver's compartment. Ensure vehicle driver is aware of hazards of the load and knows what to do in the event of a an emergency. Before transporting product containers ens are firmly secured. Ensure that the container valve is closed leaking. Container valve guards or caps should be in place. adequate air ventilation. | of the potential an accident or sure that they ed and not |
|---|--|
|---|--|

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, as amended.:

| Classification | Lower-tier | Upper-tier |
|-------------------|--------------|--------------|
| | Requirements | Requirements |
| P2. Flammable gas | 10 t | 50 t |

National Regulations

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 89/686/EEC on personal protective equipment Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX) Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives.



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 18/19

This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

| Revision Information: | Not relevant. |
|--|--|
| Key literature references and sources for data: | Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to: Agency for Toxic Substances and Diseases Registry (ATSDR) (http://www.atsdr.cdc.gov/). European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling guide", as amended. International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets. Matheson Gas Data Book, 7th Edition. National Institute for Standards and Technology (NIST) Standard Reference Database Number 69. The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/). The European Chemical Industry Council (CEFIC) ERICards. United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html) Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH). Substance specific information from suppliers. Details given in this document are believed to be correct at the time of publication. |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

| Classification according to Regulation (EC) No 1272/2008 as amended. | Classification procedure |
|--|--------------------------|
| Flammable gas, Category 1 | On basis of test data |
| Gases under pressure, Liquefied gas | On basis of test data |

Wording of the H-statements in section 2 and 3

| H220 | Extremely flammable gas. | | |
|------|---|--|--|
| H280 | Contains gas under pressure; may explode if heated. | | |



Issue Date: Last revised date: 26.10.2016 06.01.2021 Version: 1.0

SDS No.: 000010035479 19/19

| Training information: | Users of breathing apparatus must be trained. Ensure operators understand the flammability hazard. |
|-------------------------------------|---|
| Classification according to Regulat | ion (EC) No 1272/2008 as amended. |
| | Flam. Gas 1, H220 |
| | Press. Gas Liq. Gas, H280 |
| Other information: | Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Ensure equipment is adequately earthed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. ASHRAE: A2L |
| Last revised date: Disclaimer: | 06.01.2021 This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. |